

# *Colour Collection 1*

Wake up to  
Comfort & Style




*UK RESIN FLOORS*

*Taking Quality to Another Level*




# The Colour Palette


From Our Scratch Book  
Collection:  
Flakes



# Unicolours




Carol White




Basic white



Cotton White



Icicle White



Faded rose



Rib Beige



Splended Bronze



Dusty Brown



Misty Grey



Steely Grey



Iron Grey



Stylish Grey



Plainspoken Blue



Cute blue




Grizzled Blue



Inky Blue



Calm Grey




Natural Grey



Fossil Grey



Easy grey



Intens Green



Modest Green



Distinct Green




Dark Fuchsia



Dusty Grey



Solid Grey



Cool Grey




Elegant Grey



Terracotta Red



Signal Red



Medal Yellow



# Concrete Look




Morning Flow



Early Drew



Fresh Power



Marbel Flirt



Graphite Touch



Downtown Mix



Dark Move



Worn Stuff



Calm Breeze



Sandy Shades



Cosmic Fusion




Basic Wash



Frozen Cosmo




Looming Dust



Foggy Sky



Mixed Clay



Mild Shades




Native Shadow



Outback Dream



Jungle Leafs



Soft Stone



Worked Metal



Ice Cave



Rich Flow




Chique Motion



Steady Rock



Raw Basalt




Rough Lead



Velvet Blossem



Volcano Flame




Nordic Night

# PLUS PU



3-4 days installation




3 different types for both systems  
Solid: Single colour.  
Concrete look: blend of two colours.  
Flakes: Solid colour with flakes

- Remains elastic
- Easy to clean and maintain.
- Seamless
- Sound reduction
- Can be applied on top of existing (tiled) floor.
- Deep Matt finish
- Aliphatic polyurethane material
- Fluid-tight
- Good wear resistant
- Compatible with all types of UFH
- Completely free from solvents
- Active Ultraviolet blocker

# DELUXE PU



4-5 days installation



- Remains elastic
- Easy to clean and maintain.
- Seamless
- Sound reduction
- Can be applied on top of existing (tiled) floor.
- Deep Matt finish
- Aliphatic polyurethane material
- Fluid-tight
- Good wear resistant
- Compatible with all types of UFH
- Completely free from solvents
- Active Ultraviolet blocker
- Extra Resistance to cracks
- 225 grams of Fiberglass per sqrm



## UK RESIN FLOORS

22 The Broadway, Mutton Lane,  
Potters Bar, Hertfordshire, EN6  
2HT (Showroom) Appointment  
only

[info@ukresinfloors.com](mailto:info@ukresinfloors.com)

020 3488 6494